INDEX

Adrenal gland, weight of, in feral mouse population, 40 Age structure of a feral mouse pop-

ulation, 37
Antrozous, homing of, 206

Area, familiar, of bats, 214
Associations, of salt marsh plants,

Bats, homing performance in, 201 Blackbird, yellow-headed, breeding ecology of, 51

Bliss, L. C., article, 125-155 Bormann, F. H., article, 1-26

Breeding, of yellow-headed blackbird, 51

Breeding, season, of Microtus, 239 Broadhead, Edward, article, 327-388 Brooding, of yellow-headed blackbird, 58

Bushnell, John H., Jr., article, 95-123

California, Microtus populations,

Capture-recapture, of Microtus, 241 Climate, coastal Maine, 79-80

Luzon, 392 Clutch size, of yellow-headed blackbird, 56

Controlled environments, 301 Cordillera Central, Luzon, 389-419

Cordillera Central, Luzon, 3 geology, 391 grassland, 411 pine forest, 389-419

soils, 391

Davis, Luckett V., article, 275-295 Davis, R. B., article, 79-94 Davis, Russell, article, 201-237 Disease, of *Microtus*, 268 Dispersal, of *Microtus*, 263 Distribution, of Mesopsocus on larch trees, 336

Ecotype function in the *Typha* community type, 297-325 Ecotypic differentiation, 318

Ecotypic differentiation, 318
Ectoprocta, populations of, 95
Eggs, Mesopsocus, distribution and
survivorship of, 336

Environment, controlled, 301 Eptesicus, homing of, 206 Evapotranspiration, 392-393

Extinction, of a feral mouse population, 27

Fire, and pine forest, Luzon, 389-419

Food, of Mesopsocus, 329 of Mocrotus, 268 of yellow-headed blackbird, 63 Funaria hygrometrica, ecology of, 157-180

greenhouse experiments, 164-175 occurrence, 159 responses to nutrients, 171-175 spore dissemination, 161 spore germination, 166

Gause's hypothesis, 376 Germination, Typha, 300, 302 Grassland, Philippines, 411 Gray, I. E., article, 275-295 Growth, of Ectoprocta, 113 of Microtus, 255

succession after fire, 160

Hoffman, G. R., article, 157-180 Home range, of feral mouse, 33 Homing, by bats, 201

Juneus marsh, 277

Kaingin, Philippines, 399 Kowal, Norman E., article, 389-419 Krebs, Charles J., article, 239-273

Larch plantations, Psocoptera populations on, 327

Lidicker, William Z., Jr., article, 27-50

Life history, of closely related Mesopsocus species, 327 of yellow-headed blackbird, 51 Longevity of Ectoprocta, 119

McNaughton, S. J., article, 297-325 Maine coast, climate, 79-80 geology, 80-81 soils, 81-82

spruce-fir forest, 79-94

Mesopsocus, populations on larch in England, 327,

Michigan, Ectoprocta in lakes of, 95 Microenvironments, alpine, 128 plant development, 136 precipitation, 135 soil moisture, 135 solar radiation, 131

temperature, 132 wind, 134

Microtus, populations of, 239 Model, of four-species interaction,

370 Montane forest, Luzon, 394-395 Montality of Fetoprosts, 117

Mortality, of Ectoprocta, 117 of Mesopsocus, 356 of Microtus, 239 of yellow-headed blackbird, 60

Mt. Data, Philippines, 389-419Mt. Washington, N. H., alpine, 125-155

Mouse, feral population of, 27 Movement, of *Microtus*, 262 Muldrow glacier, Alaska, 181-199 Mus, declining population of, 27

extinction of, 27
Myotis, homing of, 206

Natality, of Mesopsocus, 356 Nesting, success of, in yellow-headed

blackbird, 58

Niche, of interacting Psocoptera
populations, 327

of Mesopsocus species, 327

North Carolina, insects in salt marshes of, 275

Parasites, of feral mice, 45 Patterns, biochemical, in Typha, 320-321

Permafrost, 197

Phenology, alpine, 136 ecoclines, 306

flowering, 308 Typha, 306-307

Pine Forest, Philippines, 411-414 in the tropics, 416

in the tropics, 416 in tropical S. E. Asia, 415

Pinus insularis, Philippines, 389-419 Pinus strobus, root grafts, 1-26 Plant growth, alpine, 137

Pleurococcus, as Mesopsocus food,

Plumatella, populations of, 95
Population, declining, of a feral mouse, 27

Population density, of Mesopsocus, 327

of Microtus, 241

Population dynamics, of Mesopsocus, 346

of natural populations of insects, 327

Populations, of Ectoproeta, 95 of Mesopsocus on larch in England, 327

of Microtus, 239 of Plumatella, 95

of Psocoptera on birch in England, 327

Predation, on Ectoprocta, 47 on Microtus, 269

Predators, of feral mice, 45

Productivity, alpine, 125-155 of Typha, 311

on Mt. Washington, N. H., 125-155 relation to thermoperiod and

photoperiod, 316
Psocoptera, populations on larch in

Reproduction, of feral mouse, 35 of Microbus, 249

Root distribution, alpine, 138

England, 327

Salt marshes, insects of North Carolina, 275
Salt tolerance, Typha, 300, 301
Sampling, of *Microtus* populations, 241
of mouse populations, 28

of mouse populations, 28 of salt marsh insects, 278 Scars, of feral mice, 43 Seed germination, Typha, 300, 302 Sensory mechanisms, in bat homing, 223

Sex ratio, of feral mouse population, 39

of yellow-headed blackbird, 61 Shifting cultivation, fire, and pine forest in the Philippines, 389-419 Snow accumulation, and wind, 198 Soil development with succession, 181-199

permafrost, 197 profiles, 188 Soil, Luzon, 319

Spartina marsh, 277

Spruce-fir forest, Maine, 79-94 environmental correlations, 90-92 Standing crop, alpine roots, 141 Typha, 310-311

Statistics, vital, of Ectoprocta, 112 of insect populations, 327

Succession, and soil development, 181-199

on gravel outwash, 181-199 Survivorship, of *Mesopsocus* species, 363

Territory, of yellow-headed blackbird, 53

Trophic relationships, of salt marsh insects, 288

Typha, community type, 297-325 height, 302

phenology, 306 productivity, 312 salt tolerance, 300 seed germination, 300 standing crop, 310 vegetative reproduction, 304 Tundra, climax, 193

Uniform garden, 300

Vegetative reproduction, Typha, 304-305

Vierick, L. A., article, 181-199

Wapshere, Anthony J., article, 327-

Weight, of feral mouse, 40 Willson, Mary F., article, 51-77

Xanthocephalus, breeding ecology of, 51

Yellow-headed blackbird, breeding ecology of, 51

Zonation, of salt marsh insects, 275

